

## **Aktuelle Publikationen von Mitarbeitern oder unter Beteiligung von Mitarbeitern der Klinik und Poliklinik für Psychiatrie und Psychotherapie im Jahr 2001**

### **Articles, Editorial Material, Letters, News Items, Notes und Reviews**

**Barkow K, Heun R, Ustün TB, Maier W.** Identification of items which predict later development of depression in primary health care.  
*Eur Arch Psychiatry Clin Neurosci.* 2001;251(Suppl 2): II21-6 (Impact(2004)=1.870)

Barnas C, Quiner S, Tauscher J, Hilger E, Willeit M, Küfferle B, Asenbaum S, Brücke T, **Rao ML**, Kasper S. In vivo (123I) IBZM SPECT imaging of striatal dopamine 2 receptor occupancy in schizophrenic patients.  
*Psychopharmacology (Berl).* 2001;157(3): 236-42 (Impact(2004)=3.146)

Baving L, **Wagner M**, Cohen R, Rockstroh B. Increased semantic and repetition priming in schizophrenic patients.  
*J Abnorm Psychol.* 2001;110(1): 67-75 (Impact(2004)=3.281)

**Bayer TA, Wirths O**, Majtényi K, Hartmann T, Multhaup G, Beyreuther K, Czech C. Key factors in Alzheimer's disease: beta-amyloid precursor protein processing, metabolism and intraneuronal transport.  
*Brain Pathol.* 2001;11(1): 1-11 (Impact(2004)=3.958)

Cichon S, Schmidt-Wolf G, Schumacher J, Müller DJ, Hürter M, **Schulze TG**, Albus M, Borrmann-Hassenbach M, Franzek E, Lanczik M, Fritze J, Kreiner R, Weigelt B, Minges J, **Lichtermann D**, Lerer B, Kanyas K, Strauch K, Windemuth C, Baur MP, Wienker TF, **Maier W, Rietschel M**, Propping P, Nöthen MM. A possible susceptibility locus for bipolar affective disorder in chromosomal region 10q25-q26.  
*Mol Psychiatry.* 2001;6(3): 342-9 (Impact(2004)=6.943)

Cichon S, Schumacher J, Müller DJ, Hürter M, Windemuth C, Strauch K, Hemmer S, **Schulze TG**, Schmidt-Wolf G, Albus M, Borrmann-Hassenbach M, Franzek E, Lanczik M, Fritze J, Kreiner R, Reuner U, Weigelt B, Minges J, **Lichtermann D**, Lerer B, Kanyas K, Baur MP, Wienker TF, **Maier W, Rietschel M**, Propping P, Nöthen MM. A genome screen for genes predisposing to bipolar affective disorder detects a new susceptibility locus on 8q.  
*Hum Mol Genet.* 2001;10(25): 2933-44 (Impact(2004)=7.801)

Dobrusin M, Corbex M, Kremer I, Murad I, Muhaheed M, Bannoura I, **Müller DJ, Schulze TG**, Reshef A, Blanaru M, **Gathas S, Rietschel M**, Belmaker RH, **Maier W**, Ebstein RP. No evidence for linkage by transmission disequilibrium test analysis of microsatellite marker D22S278 and schizophrenia in a Palestinian Arab and in a German population.  
*Am J Med Genet.* 2001;105(4): 328-31 (Impact(2004)=3.659)

**Falkai P, Vogeley K, Maier W.** Hirnstrukturelle Veränderungen bei Patienten mit schizophrenen Psychosen. Von der fokalen Pathologie zur Netzwerkstörung.  
*Nervenarzt.* 2001;72(5): 331-41 (Impact(2004)=0.899)

**Franke P**, Wang T, Nöthen MM, Knapp M, Neidt H, **Albrecht S**, Jahnes E, Propping P, **Maier W.** Nonreplication of association between mu-opioid-receptor gene (OPRM1) A118G polymorphism and substance dependence.  
*Am J Med Genet.* 2001;105(1): 114-9 (Impact(2004)=3.659)

**Gross G.** Therapie subklinischer (subdiagnostischer) Syndrome des Schizophreniespektrums.  
*Fortschr Neurol Psychiatr.* 2001;69 Suppl 2: S95-100 (Impact(2004)=0.752)

**Gross G, Huber G.** Psychopathologie des Wahns, Psychonomieprinzip und biologische Wahntheorie.  
*Fortschr Neurol Psychiatr.* 2001;69(3): 97-104 (Impact(2004)=0.752)

**Heun R, Papassotiropoulos A, Jessen F, Maier W, Breitner JC.** A family study of Alzheimer disease and early- and late-onset depression in elderly patients.  
*Arch Gen Psychiatry.* 2001;58(2): 190-6 (Impact(2004)=11.207)

**Heun R, Rösler M, Allain H.** Tiapride in gerontopsychiatry.  
*Eur Psychiatry.* 2001;16 Suppl 1: 3s-4s (Impact(2004)=1.191)

Hopley R, **Zimmer A.** MouseBank: a database application for managing transgenic mouse breeding programs.  
*Biotechniques.* 2001;30(1): 130-2 (Impact(2004)=2.545)

**Huber G.** Ist die Psychopathologie für die Therapie der Schizophrenie noch von Bedeutung?  
*Fortschr Neurol Psychiatr.* 2001;69 Suppl 2: S86-91 (Impact(2004)=0.752)

**Huber G.** Musical hallucinations associated with abruptly developed bilateral loss of hearing - Invited comment.  
*Acta Psychiatr Scand.* 2001;103(2): 154-5 (Impact(2004)=2.288)

**Jessen F, Block W, Träber F, Keller E, Flacke S, Lamerichs R, Schild HH, Heun R.** Decrease of N-acetylaspartate in the MTL correlates with cognitive decline of AD patients.  
*Neurology.* 2001;57(5): 930-2 (Impact(2004)=5.973)

**Jessen F, Flacke S, Granath DO, Manka C, Scheef L, Papassotiropoulos A, Schild HH, Heun R.** Encoding and retrieval related cerebral activation in continuous verbal recognition.  
*Brain Res Cogn Brain Res.* 2001;12(2): 199-206 (Impact(2004)=2.394)

**Jessen F, Fries T, Kucharski C, Nishimura T, Höning K, Maier W, Falkai P, Heun R.** Amplitude reduction of the mismatch negativity in first-degree relatives of patients with schizophrenia.  
*Neurosci Lett.* 2001;309(3): 185-8 (Impact(2004)=2.019)

**Jessen F, Kucharski C, Fries T, Papassotiropoulos A, Höning K, Maier W, Heun R.** Sensory gating deficit expressed by a disturbed suppression of the P50 event-related potential in patients with Alzheimer's disease.  
*Am J Psychiatry.* 2001;158(8): 1319-21 (Impact(2004)=7.614)

Johansson C, Smedh C, Partonen T, Pekkarinen P, Paunio T, Ekholm J, Peltonen L, **Lichtermann D, Palmgren J, Adolfsson R, Schalling M.** Seasonal affective disorder and serotonin-related polymorphisms.  
*Neurobiol Dis.* 2001;8(2): 351-7 (Impact(2004)=4.389)

Kathmann M, Weber B, **Zimmer A, Schlicker E.** Enhanced acetylcholine release in the hippocampus of cannabinoid CB(1) receptor-deficient mice.  
*Br J Pharmacol.* 2001;132(6): 1169-73 (Impact(2004)=3.325)

Kingery WS, Sawamura S, Agashe GS, Davies MF, Clark JD, **Zimmer A.** Enkephalin release and opioid receptor activation does not mediate the antinociceptive or sedative/hypnotic effects of nitrous oxide.  
*Eur J Pharmacol.* 2001;427(1): 27-35 (Impact(2004)=2.432)

**Kockler M, Heun R.** The factor structure in the cognitive battery of the structured interview for the diagnosis of dementia of the Alzheimer type, multi-infarct dementia, and dementias of other aetiology.  
*Int Psychogeriatr.* 2001;13(3): 311-23 (Impact(2004)=0.91)

Kölsch H, Ludwig M, Lütjohann D, **Rao ML.** Neurotoxicity of 24-hydroxycholesterol, an important cholesterol elimination product of the brain, may be prevented by vitamin E and estradiol-17beta.  
*J Neural Transm.* 2001;108(4): 475-88 (Impact(2004)=2.628)

**Kölsch H, Ptok U, Bagli M, Papassotiropoulos A, Schmitz S, Barkow K, Kockler M, Rao ML, Maier W, Heun R.** Gene polymorphisms of interleukin-1 alpha influence the course of Alzheimer's

disease.

*Ann Neurol.* 2001;49(6): 818-9 (Impact(2004)=8.097)

Lentini S, **Rao ML**, Schröder R, Lüderitz B, Bauriedel G. QT-Verlängerung und Torsade de pointes-Tachykardie bei Therapie mit Maprotilin. Differenzialdiagnostische und -therapeutische Aspekte.

*Dtsch Med Wochenschr.* 2001;126(49): 1396-400 (Impact(2004)=0.552)

Lerer B, Macciardi F, Segman RH, Adolfsson R, Blackwood D, Blairy S, Del Favero J, Dikeos DG, Kaneva R, Lilli R, Massat I, Milanova V, Muir W, Noethen M, Oruc L, Petrova T, Papadimitriou GN, **Rietschel M**, Serretti A, Souery D, Van Gestel S, Van Broeckhoven C, Mendlewicz J. Variability of 5-HT<sub>2C</sub> receptor cys23ser polymorphism among European populations and vulnerability to affective disorder.

*Mol Psychiatry.* 2001;6(5): 579-85 (Impact(2006)=11.804)

**Lichtermann D**, Ekelund J, Pukkala E, Tanskanen A, Lönnqvist J. Incidence of cancer among persons with schizophrenia and their relatives.

*Arch Gen Psychiatry.* 2001;58(6): 573-8 (Impact(2004)=11.207)

**Lohmann PL**, **Rao ML**, Ludwig M, Griese EU, Zanger UM, Mörike K, **Maier W**, **Bagli M**. Influence of CYP2D6 genotype and medication on the sparteine metabolic ratio of psychiatric patients.

*Eur J Clin Pharmacol.* 2001;57(4): 289-95 (Impact(2004)=2.083)

Lucht MJ, **Kühn KU**, Schroeder W, Armbruster J, Abraham G, Schattenberg A, Gänsicke M, Barnow S, Tretzel H, Herrmann FH, **Freyberger HJ**. Influence of the dopamine D<sub>2</sub> receptor (DRD<sub>2</sub>) exon 8 genotype on efficacy of tiapride and clinical outcome of alcohol withdrawal.

*Pharmacogenetics.* 2001;11(8): 647-53 (Impact(2004)=6.406)

**Maier W**. Unterschwellige psychische Störungen. Das Problem der Spezifität unspezifizierter Diagnosen.

*Nervenarzt.* 2001;72(3): 167-8 (Impact(2004)=0.899)

**Maier W**, **Linz M**. Genetik suizidalen Verhaltens.

*Psycho.* 2001;27: 271-3

Mass R, Schoemig T, Novikov J, **Wagner M**. Effects of cerebral hemispheric laterality on the span of apprehension of schizophrenic and healthy subjects.

*Eur Arch Psychiatry Clin Neurosci.* 2001;251(1): 18-23 (Impact(2004)=1.87)

Moritz S, Fricke S, **Wagner M**, Hand I. Further evidence for delayed alternation deficits in obsessive-compulsive disorder.

*J Nerv Ment Dis.* 2001;189(8): 562-4 (Impact(2004)=1.463)

**Müller DJ**, **Schulze TG**, Knapp M, Held T, **Krauss H**, Weber T, **Ahle G**, **Maroldt A**, **Alfter D**, **Maier W**, **Nöthen MM**, **Rietschel M**. Familial occurrence of tardive dyskinesia.

*Acta Psychiatr Scand.* 2001;104(5): 375-9 (Impact(2004)=2.288)

Murad I, Kremer I, Dobrusin M, Muhaheed M, Bannoura I, **Müller DJ**, **Schulze TG**, Reshef A, Blanaru M, **Gathas S**, Tsenter V, **Rietschel M**, Belmaker RH, **Maier W**, Ebstein RP. A family-based study of the Cys23Ser 5HT<sub>2C</sub> serotonin receptor polymorphism in schizophrenia.

*Am J Med Genet.* 2001;105(3): 236-8 (Impact(2004)=3.659)

Niesler B, Flohr T, Nöthen MM, Fischer C, **Rietschel M**, Franzek E, Albus M, Propping P, Rappold GA. Association between the 5' UTR variant C178T of the serotonin receptor gene HTR3A and bipolar affective disorder.

*Pharmacogenetics.* 2001;11(6): 471-5 (Impact(2004)=6.406)

Niesler B, Weiss B, Fischer C, Nöthen MM, Propping P, Bondy B, **Rietschel M**, **Maier W**, Albus M, Franzek E, Rappold GA. Serotonin receptor gene HTR3A variants in schizophrenic and bipolar

affective patients.

*Pharmacogenetics*. 2001;11(1): 21-7 (Impact(2004)=6.406)

Nimgaonkar VL, Faraone SV, Lerer B, Mallet J, Sherrington R, **Maier W**. Impact of overlapping recruitment on psychiatric genetic studies.

*Am J Med Genet*. 2001;105(2): 139-40 (Impact(2004)=3.659)

Paria BC, Song H, Wang X, Schmid PC, Krebsbach RJ, Schmid HH, Bonner TI, **Zimmer A**, Dey SK. Dysregulated cannabinoid signaling disrupts uterine receptivity for embryo implantation.

*J Biol Chem*. 2001;276(23): 20523-8 (Impact(2004)=6.355)

**Ptok U, Papassotiropoulos A, Heun R**. Mental health in spouses of patients with gerontopsychiatric disorders.

*Int J Geriatr Psychiatry*. 2001;16(10): 1014-6 (Impact(2004)=1.971)

**Ptok U, Papassotiropoulos A, Maier W, Heun R**. Seasonal distribution of births in patients with Alzheimer's disease and elderly depressive patients.

*Eur Psychiatry*. 2001;16(3): 157-61 (Impact(2004)=1.191)

**Ptok U, Seeher C, Jessen F, Papassotiropoulos A, Heun R**. Inter-rater reliability of family history information on psychiatric disorders in relatives.

*Eur Arch Psychiatry Clin Neurosci*. 2001;251(6): 279-83 (Impact(2004)=1.87)

**Rao ML**, Hiemke C, **Grasmäder K**, Baumann P. Olanzapin: Pharmakologie, Pharmakokinetik und Therapeutisches Drug Monitoring.

*Fortschr Neurol Psychiatr*. 2001;69(11): 510-7 (Impact(2004)=0.752)

**Rietschel M**. Pharmakogenetische Strategien.

*Fortschr Neurol Psychiatr*. 2001;69 Suppl 2: S62-4 (Impact(2004)=0.752)

**Rodriguez de la Torre B, Dreher J, Malevany I, Bagli M, Kolbinger M**, Omran H, Lüderitz B, **Rao ML**. Serum levels and cardiovascular effects of tricyclic antidepressants and selective serotonin reuptake inhibitors in depressed patients.

*Ther Drug Monit*. 2001;23(4): 435-40 (Impact(2004)=2.798)

Rothermundt M, Arolt V, **Bayer TA**. Review of immunological and immunopathological findings in schizophrenia.

*Brain Behav Immun*. 2001;15(4): 319-39 (Impact(2004)=2.937)

Scheuermann S, Hamsch B, Hesse L, Stumm J, Schmidt C, Behr D, **Bayer TA**, Beyreuther K, Multhaup G. Homodimerization of amyloid precursor protein and its implication in the amyloidogenic pathway of Alzheimer's disease.

*J Biol Chem*. 2001;276(36): 33923-9 (Impact(2004)=6.355)

Schneider F, Habel U, **Wagner M, Franke P**, Salloum JB, Shah NJ, Toni I, **Sulzbach C, Hönig K, Maier W**, Gaebel W, Zilles K. Subcortical correlates of craving in recently abstinent alcoholic patients.

*Am J Psychiatry*. 2001;158(7): 1075-83 (Impact(2004)=7.614)

**Schütz B**, Weihe E, Eiden LE. Independent patterns of transcription for the products of the rat cholinergic gene locus.

*Neuroscience*. 2001;104(3): 633-42 (Impact(2006)=3.427)

**Schulze TG, Müller DJ, Krauss H, Gross M, Bauer I, Fangerau-Lefèvre H, Illes F, Ohlraun S**, Fimmers R, Cichon S, Held T, Propping P, Nöthen MM, **Maier W, Rietschel M**. Caught in the trio trap? Potential selection bias inherent to association studies using parent-offspring trios.

*Am J Med Genet*. 2001;105(4): 351-3 (Impact(2004)=3.659)

**Schulze TG, Müller DJ, Krauss H, Marwinski K, Maroldt AO, Novo Y Fernández A**, Fimmers R, Held T, **Maier W**, Nöthen MM, **Rietschel M**. Affective symptomatology in schizophrenia: a risk factor

for tardive dyskinesia?

*Eur Psychiatry*. 2001;16(1): 71-4 (Impact(2004)=1.191)

**Schulze TG**, Schumacher J, **Müller DJ**, **Krauss H**, **Alfter D**, **Maroldt A**, **Ahle G**, **Maroldt AO**, **Novo y Fernández A**, Weber T, Held T, Propping P, **Maier W**, Nöthen MM, **Rietschel M**. Lack of association between a functional polymorphism of the cytochrome P450 1A2 (CYP1A2) gene and tardive dyskinesia in schizophrenia.

*Am J Med Genet*. 2001;105(6): 498-501 (Impact(2004)=3.659)

Selley DE, Rorrer WK, Breivogel CS, **Zimmer AM**, **Zimmer A**, Martin BR, Sim-Selley LJ. Agonist efficacy and receptor efficiency in heterozygous CB1 knockout mice: relationship of reduced CB1 receptor density to G-protein activation.

*J Neurochem*. 2001;77(4): 1048-57 (Impact(2004)=4.824)

Serretti A, **Rietschel M**, Lattuada E, **Krauss H**, **Schulze TG**, **Müller DJ**, **Maier W**, Smeraldi E. Major psychoses symptomatology: factor analysis of 2241 psychotic subjects.

*Eur Arch Psychiatry Clin Neurosci*. 2001;251(4): 193-8 (Impact(2004)=1.87)

Sklar P, **Schwab SG**, Williams NM, Daly M, Schaffner S, **Maier W**, Albus M, Trixler M, Eichhammer P, Lerer B, Hallmayer J, Norton N, Williams H, Zammit S, Cardno AG, Jones S, McCarthy G, Milanova V, Kirov G, O'Donovan MC, Lander ES, Owen MJ, **Wildenauer DB**. Association analysis of NOTCH4 loci in schizophrenia using family and population-based controls.

*Nat Genet*. 2001;28(2): 126-8 (Impact(2004)=24.695)

Souery D, Van Gestel S, Massat I, Blairy S, Adolfsson R, Blackwood D, Del-Favero J, Dikeos D, Jakovljevic M, Kaneva R, Lattuada E, Lerer B, Lilli R, Milanova V, Muir W, Nöthen M, Oruc L, Papadimitriou G, Propping P, **Schulze T**, Serretti A, Shapira B, Smeraldi E, Stefanis C, Thomson M, Van Broeckhoven C, Mendlewicz J. Tryptophan hydroxylase polymorphism and suicidality in unipolar and bipolar affective disorders: a multicenter association study.

*Biol Psychiatry*. 2001;49(5): 405-9 (Impact(2004)=6.159)

**Vogele K**, **Bussfeld P**, Newen A, **Herrmann S**, Happé F, **Falkai P**, **Maier W**, Shah NJ, Fink GR, Zilles K. Mind reading: neural mechanisms of theory of mind and self-perspective.

*Neuroimage*. 2001;14(1 Pt 1): 170-81 (Impact(2004)=4.869)

**Vogele K**, **Tepest R**, **Pfeiffer U**, **Schneider-Axmann T**, **Maier W**, **Honer WG**, **Falkai P**. Right frontal hypergyria differentiation in affected and unaffected siblings from families multiply affected with schizophrenia: a morphometric mri study.

*Am J Psychiatry*. 2001;158(3): 494-6 (Impact(2004)=7.614)

Wang T, **Franke P**, Neidt H, Cichon S, Knapp M, **Lichtermann D**, **Maier W**, Propping P, Nöthen MM. Association study of the low-activity allele of catechol-O-methyltransferase and alcoholism using a family-based approach.

*Mol Psychiatry*. 2001;6(1): 109-11 (Impact(2004)=6.943)

Weggen S, Preuss U, Pietsch T, Hilger N, Klawitz I, Scheidtmann KH, Wiestler OD, **Bayer TA**. Identification of amplified genes from SV40 large T antigen-induced rat PNET cell lines by subtractive cDNA analysis and radiation hybrid mapping.

*Oncogene*. 2001;20(16): 2023-31 (Impact(2004)=6.318)

**Wirhth O**, Multhaup G, Czech C, Blanchard V, Moussaoui S, Tremp G, Pradier L, Beyreuther K, **Bayer TA**. Intraneuronal Abeta accumulation precedes plaque formation in beta-amyloid precursor protein and presenilin-1 double-transgenic mice.

*Neurosci Lett*. 2001;306(1-2): 116-20 (Impact(2004)=2.019)

**Wirhth O**, Multhaup G, Czech C, Blanchard V, Tremp G, Pradier L, Beyreuther K, **Bayer TA**. Reelin in plaques of beta-amyloid precursor protein and presenilin-1 double-transgenic mice.

*Neurosci Lett*. 2001;316(3): 145-8 (Impact(2004)=2.019)

Yolken RH, Karlsson H, **Bayer TA**, Johnston-Wilson N, Yee F, Torrey EF. Retroviruses, genes and schizophrenia.  
*Clin Neurosci Res.* 2001;1(1-2): 164-9 (Impact(2004)=1.076)

**Zimmer A**, Valjent E, König M, **Zimmer AM**, Robledo P, Hahn H, Valverde O, Maldonado R. Absence of delta -9-tetrahydrocannabinol dysphoric effects in dynorphin-deficient mice.  
*J Neurosci.* 2001;21(23): 9499-505 (Impact(2004)=7.907)

### ***Bücher und Buchbeiträge***

Bronisch T, Ackenheil M, Ahrens B, Bondy B, Brunner J, Felber W, **Maier W**, Müller-Oerlinghausen B, Oehler J, **Rao M-L**, **Rietschel M** (2001) A multicenter study about neurobiological parameters of suicidal behavior. In: Grad O (Ed.) Suicide risk and protective factors in the new millennium. Proceedings of the 8th European symposium on suicidal behavior. Canrarjev, Ljubljana (125-129).

Grabe HJ, **Maier W** (2001) Diagnostik bei Langzeitbeobachtungen. In: Stieglitz R-D, Baumann U, Freyberger HJ (Hrsg.) Psychodiagnostik in Klinischer Psychologie, Psychiatrie, Psychotherapie. Thieme, Stuttgart (327-338).

**Maier W** (2001) Genetics of mental illness. In: Smelser NJ, Baltus PB (Eds.) International Encyclopedia of the Social and Behavioral Sciences. Vol. 4.4. Pergamon, Amsterdam (9669-9675).

**Maier W** (2001) Genetik suizidalen Verhaltens. In: Bronisch T, Felber W, Wolfersdorf M (Hrsg.) Neurobiologie suizidalen Verhaltens. Roderer, Regensburg (43-49).

**Maier W**, **Schwab S**, **Rietschel M** (2001) Genetics of the affective disorders. In: Henn FA, Sartorius N, Helmchen H, Lauter H (Eds.) Contemporary Psychiatry, Vol. 3. Springer, Berlin (243-266).