

Aktuelle Publikationen von Mitarbeitern oder unter Beteiligung von Mitarbeitern der Klinik und Poliklinik für Psychiatrie und Psychotherapie im Jahr 2015

Articles, Editorial Material, Letters, News Items, Notes und Reviews

Eckstein M, Becker B, Scheele D, Scholz C, Preckel K, Schläpfer TE, Grinevich V, Kendrick KM, **Maier W, Hurlemann R**. Oxytocin Facilitates the Extinction of Conditioned Fear in Humans. *Biol Psychiatry*. 2015;78(3): 194-202

Escott-Price V, Sims R, Bannister C, Harold D, Vronskaya M, Majounie E, Badarinarayan N; GERAD/PERADES; IGAP consortia, Morgan K, Passmore P, Holmes C, Powell J, Brayne C, Gill M, Mead S, Goate A, Cruchaga C, Lambert JC, van Duijn C, **Maier W, Ramirez A**, Holmans P, Jones L, Hardy J, Seshadri S, Schellenberg GD, Amouyel P, Williams J. Common polygenic variation enhances risk prediction for Alzheimer's disease. *Brain*. 2015;138(Pt 12): 3673-84

Haenisch B, von Holt K, Wiese B, Prokein J, Lange C, Ernst A, Brettschneider C, König HH, Werle J, Weyerer S, Luppa M, Riedel-Heller SG, Fuchs A, Pentzek M, Weeg D, Bickel H, Broich K, **Jessen F, Maier W**, Scherer M. Risk of dementia in elderly patients with the use of proton pump inhibitors. *Eur Arch Psychiatry Clin Neurosci*. 2015;265(5): 419-28

International Genomics of Alzheimer's Disease Consortium (IGAP); International Genomics of Alzheimer's Disease Consortium IGAP. Convergent genetic and expression data implicate immunity in Alzheimer's disease. *Alzheimers Dement*. 2015;11(6): 658-71

Juraeva D, Treutlein J, Scholz H, Frank J, Degenhardt F, Cichon S, Ridinger M, Mattheisen M, Witt SH, Lang M, Sommer WH, Hoffmann P, Herms S, Wodarz N, Soyka M, Zill P, **Maier W**, Jünger E, Gaebel W, Dahmen N, Scherbaum N, Schmäler C, Steffens M, Lucae S, Ising M, Smolka MN, Zimmermann US, Müller-Myhsok B, Nöthen MM, Mann K, Kiefer F, Spanagel R, Brors B, Rietschel M. XRCC5 as a risk gene for alcohol dependence: evidence from a genome-wide gene-set-based analysis and follow-up studies in Drosophila and humans. *Neuropsychopharmacology*. 2015;40(2): 361-71

Kaut O, Schmitt I, Hofmann A, Hoffmann P, **Schläpfer TE**, Wüllner U, **Hurlemann R**. Aberrant NMDA receptor DNA methylation detected by epigenome-wide analysis of hippocampus and prefrontal cortex in major depression. *Eur Arch Psychiatry Clin Neurosci*. 2015;265(4): 331-41

Kayser S, Bewernick BH, Matusch A, **Hurlemann R**, Soehle M, **Schläpfer TE**. Magnetic seizure therapy in treatment-resistant depression: clinical, neuropsychological and metabolic effects. *Psychol Med*. 2015;45(5): 1073-92

Levkovitz Y, Isserles M, Padberg F, Lisanby SH, Bystritsky A, Xia G, Tendler A, Daskalakis ZJ, Winston JL, Dannon P, Hafez HM, Reti IM, Morales OG, **Schläpfer TE**, Hollander E, Berman JA, Husain MM, Sofer U, Stein A, Adler S, Deutsch L, Deutsch F, Roth Y, George MS, Zangen A. Efficacy and safety of deep transcranial magnetic stimulation for major depression: a prospective multicenter randomized controlled trial. *World Psychiatry*. 2015;14(1): 64-73

Louwensheimer E, **Ramirez A**, Cruchaga C, Becker T, Kornhuber J, Peters O, Heilmann S, Wiltfang J, **Jessen F**, Visser PJ, Scheltens P, Pijnenburg YA, Teunissen CE, Barkhof F, van Swieten JC, Holstege H, Van der Flier WM; Alzheimer's Disease Neuroimaging Initiative and Dementia Competence Network. The influence of genetic variants in SORL1 gene on the manifestation of Alzheimer's disease. *Neurobiol Aging*. 2015;36(3): 1605.e13-20

Mattern M, Walter H, Hentze C, Schramm E, **Drost S, Schoepf D**, Fangmeier T, Normann C, Zobel I, Schnell K. Behavioral evidence for an impairment of affective theory of mind capabilities in chronic depression.

Psychopathology. 2015;48(4): 240-50

Polster JD, Kayser S, Bewernick BH, Hurlemann R, Schläpfer TE. Effects of electroconvulsive therapy and magnetic seizure therapy on acute memory retrieval.

J ECT. 2015;31(1): 13-9

Popp J, Wolfgruber S, Heuser I, Peters O, Hüll M, Schröder J, Möller HJ, Lewczuk P, Schneider A, Jahn H, Luckhaus C, Pernecky R, Frölich L, **Wagner M, Maier W**, Wiltfang J, Kornhuber J, **Jessen F**. Cerebrospinal fluid cortisol and clinical disease progression in MCI and dementia of Alzheimer's type.

Neurobiol Aging. 2015;36(2): 601-7

Preckel K, Scheele D, Eckstein M, Maier W, Hurlemann R. The influence of oxytocin on volitional and emotional ambivalence.

Soc Cogn Affect Neurosci. 2015;10(7): 987-93

Ramirez A, Wolfgruber S, Lange C, Kaduszkiewicz H, Weyerer S, Werle J, Pentzek M, Fuchs A, Riedel-Heller SG, Luck T, Mösch E, Bickel H, Wiese B, Prokein J, König H, Brettschneider C, Breteler MM, **Maier W, Jessen F**, Scherer M. Elevated HbA1c is Associated with Increased Risk of Incident Dementia in Primary Care Patients.

J Alzheimers Dis. 2015;44(4): 1203-12

Schennach R, Riedel M, Obermeier M, Seemüller F, Jäger M, Schmauss M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, **Maier W**, Lemke MR, Rütger E, Klingberg S, Gastpar M, Möller HJ. What are depressive symptoms in acutely ill patients with schizophrenia spectrum disorder?

Eur Psychiatry. 2015;30(1): 43-50

Schoepf D, Heun R. Alcohol dependence and physical comorbidity: increased prevalence but reduced relevance of individual comorbidities for hospital-based mortality during a 12.5-year observation period in general hospital admissions in urban North-West England.

Eur Psychiatry. 2015;30(4): 459-68

Schoepf D, Heun R. Anxiety disorders and physical comorbidity: increased prevalence but reduced relevance of specific risk factors for hospital-based mortality during a 12.5-year observation period in general hospital admissions.

Eur Arch Psychiatry Clin Neurosci. 2015;265(5): 387-98

Schoepf D, Heun R. Comorbid medical illness in bipolar disorder.

Br J Psychiatry. 2015;206(6): 522-3

Schramm E, Zobel I, **Schoepf D**, Fangmeier T, Schnell K, Walter H, **Drost S**, Schmidt P, Brakemeier EL, Berger M, Normann C. Cognitive Behavioral Analysis System of Psychotherapy versus Escitalopram in Chronic Major Depression.

Psychother Psychosom. 2015;84(4): 227-40

Seifert K. Studie zur Anwendung und Evaluation eines fototherapeutischen Behandlungsmodells für Patienten mit unipolaren Depressionen in der klinischen Versorgung.

Z Musik-, Tanz- und Kunsttherap. 2015;26(2): 88-102