

Aktuelle Publikationen von Mitarbeitern oder unter Beteiligung von Mitarbeitern der Klinik und Poliklinik für Psychiatrie und Psychotherapie im Jahr 2017

Articles, Editorial Material, Letters, News Items, Notes und Reviews

Andari E, **Hurlemann R**, Young LJ. A Precision Medicine Approach to Oxytocin Trials.
Curr Top Behav Neurosci. 2017 Aug 16. doi: 10.1007/7854_2017_29. [Epub ahead of print]

Bartels C, **Wagner M**, **Wolfsgruber S**, Ehrenreich H, Schneider A; Alzheimer's Disease Neuroimaging Initiative. Impact of SSRI Therapy on Risk of Conversion From Mild Cognitive Impairment to Alzheimer's Dementia in Individuals With Previous Depression.
Am J Psychiatry. 2017 Nov 28:appiajp201717040404. doi: 10.1176/appi.ajp.2017.17040404. [Epub ahead of print]

Bausch P, Fangmeier T, Schramm E, Zobel I, **Drost S**, Schnell K, Walter H, Berger M, **Schoepf D***, Normann C*. Cognitive Behavioral Analysis System of Psychotherapy versus Escitalopram in Patients with Chronic Depression: Results from a Naturalistic Long-Term Follow-Up.
Psychother Psychosomatics. 2017;86(5): 308-10

* share senior authorship

Bausch P, Fangmeier T, Zobel I, **Schoepf D**, Drost S, Schnell K, Walter H, Berger M, Normann C, Schramm E. The impact of childhood maltreatment on the differential efficacy of CBASP versus escitalopram in patients with chronic depression: A secondary analysis.
Clin Psychol Psychother. 2017;24(5): 1155-62

Bewernick BH, **Kayser S**, **Gippert SM**, **Switala C**, Coenen VA, Schlaepfer TE. Deep brain stimulation to the medial forebrain bundle for depression- long-term outcomes and a novel data analysis strategy.
Brain Stimul. 2017;10(3): 664-71

Bewernick BH, Urbach AS, Bröder A, **Kayser S**, **Schlaepfer TE**. Walking away from depression-motor activity increases ratings of mood and incentive drive in patients with major depression.
Psychiatry Res. 2017;247: 68-72

Bey K, Kloft L, **Lennertz L**, Grützmann R, Heinzel S, Kaufmann C, Klawohn J, Riesel A, Meyhöfer I, Kathmann N, **Wagner M**. Volitional saccade performance in a large sample of patients with obsessive-compulsive disorder and unaffected first-degree relatives.
Psychophysiology. 2017;54(9): 1284-94

Bey K, **Lennertz L**, Riesel A, Klawohn J, Kaufmann C, Heinzel S, Grützmann R, Kathmann N, **Wagner M**. Harm avoidance and childhood adversities in patients with obsessive-compulsive disorder and their unaffected first-degree relatives.
Acta Psychiatr Scand. 2017;135(4): 328-38

Bleckwenn M, **Kleineidam L**, **Wagner M**, Jessen F, Weyerer S, Werle J, Wiese B, Lühmann D, Posselt T, König HH, Brettschneider C, Mösch E, Weeg D, Fuchs A, Pentzek M, Luck T, Riedel-Heller SG, **Maier W**, Scherer M. Impact of coronary heart disease on cognitive decline in Alzheimer's disease: a prospective longitudinal cohort study in primary care.
Br J Gen Pract. 2017;67(655): e111-e117

Bock JO, Hajek A, Lühmann D, Ernst A, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Weeg D, **Wagner M**, Scherer M, Riedel-Heller SG, **Maier W**, König HH; für die AgeCoDe & AgeQualiDe Study Group. Unterschiede in Kognition, Depressivität und gesundheitsbezogener Lebensqualität zwischen Versicherten der GKV und PKV im hohen Alter.
Psychiatr Prax. 2017 Jan 26. doi: 10.1055/s-0042-116219. [Epub ahead of print]

Bock JO, Hajek A, Weyerer S, Werle J, **Wagner M, Maier W**, Stark A, Kaduszkiewicz H, Wiese B, Moor L, Stein J, Riedel-Heller SG, König HH. The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study.
Am J Geriatr Psychiatry. 2017;25(2): 131-41

Cordes J, Bechdolf A, Engelke C, Kahl KG, Balijepalli C, Lösch C, Klosterkötter J, **Wagner M, Maier W**, Heinz A, de Millas W, Gaebel W, Winterer G, Janssen B, Schmidt-Kraepelin C, Schneider F, Lambert M, Juckel G, Wobrock T, Riedel M, Moebus S. Prevalence of metabolic syndrome in female and male patients at risk of psychosis.
Schizophr Res. 2017;181: 38-42

De Cort K, Schrijnen M, **Hurlemann R**, Claassen S, Hoogenhout J, Van den Bergh O, Goossens L, Van Diest I, Schruers K. Modeling the development of panic disorder with interoceptive conditioning.
Eur Neuropsychopharmacol. 2017;27(1): 59-69

Dronse J, **Fliessbach K**, Bischof GN, von Reutern B, Faber J, Hammes J, Kuhnert G, Neumaier B, Onur OA, Kukolja J, van Eimeren T, Jessen F, Fink GR, Klockgether T, Drzezga A. In vivo Patterns of Tau Pathology, Amyloid- β Burden, and Neuronal Dysfunction in Clinical Variants of Alzheimer's Disease.
J Alzheimers Dis. 2017;55(2): 465-71

Ettinger U, **Hurlemann R**, Chan RCK. Oxytocin and Schizophrenia Spectrum Disorders.
Curr Top Behav Neurosci. 2017 Sep 2. doi: 10.1007/7854_2017_27. [Epub ahead of print]

Fenner P, Abdelazim RS, Bräuninger I, Strehlow G, **Seifert K**. Provision of arts therapies for people with severe mental illness.
Curr Opin Psychiatry. 2017;30(4): 306-11

Freytag V, Carrillo-Roa T, Milnik A, Sämann PG, Vukojevic V, Coynel D, Demougin P, Egli T, Gschwind L, Jessen F, Loos E, **Maier W**, Riedel-Heller SG, Scherer M, Vogler C, **Wagner M**, Binder EB, de Quervain DJ, Papassotiropoulos A. A peripheral epigenetic signature of immune system genes is linked to neocortical thickness and memory.
Nat Commun. 2017;8: 15193

Frölich L, Peters O, Lewczuk P, Gruber O, Teipel SJ, Gertz HJ, Jahn H, **Jessen F**, Kurz A, Luckhaus C, Hüll M, Pantel J, Reischies FM, Schröder J, **Wagner M**, Rienhoff O, Wolf S, Bauer C, Schuchhardt J, Heuser I, Rüther E, Henn F, **Maier W**, Wilfang J, Kornhuber J. Incremental value of biomarker combinations to predict progression of mild cognitive impairment to Alzheimer's dementia.
Alzheimers Res Ther. 2017;9(1): 84

Gaertner B, Buttery AK, Finger JD, **Wolfsgruber S, Wagner M**, Busch MA. Physical exercise and cognitive function across the life span: Results of a nationwide population-based study.
J Sci Med Sport. 2017 Sep 14. pii: S1440-2440(17)31027-7. doi: 10.1016/j.jsams.2017.08.022. [Epub ahead of print]

Gippert SM, Switala C, Bewernick BH, Kayser S, Bräuer A, Coenen VA, Schlaepfer TE. Deep brain stimulation for bipolar disorder-review and outlook.
CNS Spectr. 2017;22(3): 254-7

Grützmann R, Riesel A, Klawohn J, Heinzel S, Kaufmann C, **Bey K, Lennertz L, Wagner M**, Kathmann N. Frontal alpha asymmetry in OCD patients and unaffected first-degree relatives.
J Abnorm Psychol. 2017;126(6): 750-60

Hajek A, Brettschneider C, Eisele M, Lühmann D, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Bickel H, Mösch E, **Heser K, Wagner M, Maier W**, Scherer M, Riedel-Heller SG, König HH. Disentangling the complex relation of disability and depressive symptoms in old age - findings of a multicenter prospective cohort study in Germany.
Int Psychogeriatr. 2017;29(6): 885-95

Hajek A, Brettschneider C, Ernst A, Posselt T, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Mösch E, **Kleineidam L, Heser K, Maier W**, Scherer M, Riedel-Heller SG, König HH. Einflussfaktoren auf die Pflegebedürftigkeit im Längsschnitt. *Gesundheitswesen*. 2017;79(2): 73-9

Hajek A, Brettschneider C, Lühmann D, Eisele M, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Weeg D, **Heser K**, Jessen F, **Maier W**, Scherer M, Riedel-Heller SG, König HH. Does Visual Impairment Affect Social Ties in Late Life? Findings of a Multicenter Prospective Cohort Study in Germany. *J Nutr Health Aging*. 2017;21(6): 692-8

Hajek A, Brettschneider C, Mallon T, Ernst A, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Weeg D, **Wagner M, Heser K, Maier W**, Scherer M, Riedel-Heller SG, König HH; **AgeCoDe Study Group**. The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany.

Health Qual Life Outcomes. 2017;15(1): 140

Hajek A, Brettschneider C, Mallon T, van der Leeden C, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Riedel-Heller SG, Stein J, Bickel H, Weeg D, **Heser K, Wagner M, Maier W**, Scherer M, Luck T, König HH. How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany.

Age Ageing. 2017;46(5): 813-20

Hajek A, Luck T, Brettschneider C, Posselt T, Lange C, Wiese B, Steinmann S, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Bickel H, Mösch E, **Wagner M, Heser K, Maier W**, Scherer JM, Riedel-Heller SG, König HH. Factors Affecting Functional Impairment among Elderly Germans - Results of a Longitudinal Study.

J Nutr Health Aging. 2017;21(3): 299-306

Heinzel S, Kaufmann C, Grützmann R, Hummel R, Klawohn J, Riesel A, **Bey K, Lennertz L, Wagner M**, Kathmann N. Neural correlates of working memory deficits and associations to response inhibition in obsessive compulsive disorder.

Neuroimage Clin. 2017;17: 426-34

Hoenig MC, Bischof GN, Hammes J, Faber J, **Fliessbach K**, van Eimeren T, Drzezga A. Tau pathology and cognitive reserve in Alzheimer's disease.

Neurobiol Aging. 2017 Sep;57:1-7. doi: 10.1016/j.neurobiolaging.2017.05.004. Epub 2017 May 10

Hu X, Uhle F, **Fliessbach K, Wagner M**, Han Y, Weber B, Jessen F. Reduced future-oriented decision making in individuals with subjective cognitive decline: A functional MRI study. *Alzheimers Dement (Amst)*. 2017;6: 222-31

Hurlemann R, Marsh N, Schultz J, Scheele D. Oxytocin shapes the priorities and neural representations of attitudes and values. *Behav Brain Sci*. 2017;40: e241

Karaca I, Wagner H, Ramirez A. Suche nach Risikogenen bei der Alzheimer-Erkrankung. *Nervenarzt*. 2017;88(7): 744-50

Kayser S, Bewernick BH, Soehle M, Switala C, Gippert SM, Dreimüller N, Schlaepfer TE. Degree of Postictal Suppression Depends on Seizure Induction Time in Magnetic Seizure Therapy and Electroconvulsive Therapy. *J ECT*. 2017;33(3): 167-75

Lacour A, Espinosa A, Louwersheimer E, Heilmann S, Hernández I, **Wolfsgruber S**, Fernández V, **Wagner H**, Rosende-Roca M, Mauleón A, Moreno-Grau S, Vargas L, Pijnenburg YA, Koene T, Rodríguez-Gómez O, Ortega G, Ruiz S, Holstege H, Sotolongo-Grau O, Kornhuber J, Peters O, Fröhlich L, Hüll M, Rüther E, Wilfang J, Scherer M, Riedel-Heller S, Alegret M, Nöthen MM, Scheltens

P, Wagner M, Tárraga L, Jessen F, Boada M, Maier W, van der Flier WM, Becker T, Ramirez A*, Ruiz A*. Genome-wide significant risk factors for Alzheimer's disease: role in progression to dementia due to Alzheimer's disease among subjects with mild cognitive impairment.
Mol Psychiatry. 2017;22(1): 153-60

* share senior authorship

Lewczuk P, Riederer P, O'Bryant SE, Verbeek MM, Dubois B, Visser PJ, Jellinger KA, Engelborghs S, Ramirez A, Parnetti L, Jack CR Jr, Teunissen CE, Hampel H, Lleó A, Jessen F, Glodzik L, de Leon MJ, Fagan AM, Molinuevo JL, Jansen WJ, Winblad B, Shaw LM, Andreasson U, Otto M, Mollenhauer B, Wilfang J, Turner MR, Zerr I, Handels R, Thompson AG, Johansson G, Ermann N, Trojanowski JQ, Karaca I, Wagner H, Oeckl P, van Waalwijk van Doorn L, Bjerke M, Kapogiannis D, Kuiperij HB, Farotti L, Li Y, Gordon BA, Epelbaum S, Vos SJB, Klijn CJM, Van Nostrand WE, Minguillon C, Schmitz M, Gallo C, Lopez Mato A, Thibaut F, Lista S, Alcolea D, Zetterberg H, Blennow K, Kornhuber J; Members of the WFSBP Task Force Working on this Topic: Peter Riederer, Carla Gallo, Dimitrios Kapogiannis, Andrea Lopez Mato, Florence Thibaut. Cerebrospinal fluid and blood biomarkers for neurodegenerative dementias: An update of the Consensus of the Task Force on Biological Markers in Psychiatry of the World Federation of Societies of Biological Psychiatry.
World J Biol Psychiatry. 2017 Oct 27:1-85. doi: 10.1080/15622975.2017.1375556. [Epub ahead of print]

Luck T, Riedel-Heller SG, Roehr S, Wiese B, van der Leeden C, Heser K, Bickel H, Pentzek M, König HH, Werle J, Mamone S, Mallon T, Wolfsgruber S, Weeg D, Fuchs A, Brettschneider C, Scherer M, Maier W, Weyerer S; AgeCoDe study group. Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study.
J Am Geriatr Soc. 2017;65(4): 738-46

Luck T, Rodriguez FS, Wiese B, van der Leeden C, Heser K, Bickel H, In der Schmitten J, Koenig HH, Weyerer S, Mamone S, Mallon T, Wagner M, Weeg D, Fuchs A, Brettschneider C, Werle J, Scherer M, Maier W, Riedel-Heller SG; AgeCoDe & AgeQualiDe study group. Advance directives and power of attorney for health care in the oldest-old - results of the AgeQualiDe study.
BMC Geriatr. 2017;17(1): 85

Miebach L, Wolfsgruber S, Frommann I, Buckley R, Wagner M. Different Cognitive Complaint Profiles in Memory Clinic and Depressive Patients.
Am J Geriatr Psychiatry. 2017 Nov 8. pii: S1064-7481(17)30522-5. doi: 10.1016/j.jagp.2017.10.018. [Epub ahead of print]

Minnerop M, Kurzwelly D, Rattay TW, Timmann D, Hengel H, Synofzik M, Stendel C, Horvath R, Schüle R, Ramirez A. Reply: POLR3A variants in hereditary spastic paraparesis and ataxia.
Brain. 2017 Dec 11. doi: 10.1093/brain/awx291. [Epub ahead of print]

Minnerop M, Kurzwelly D, Wagner H, Soehn AS, Reichbauer J, Tao F, Rattay TW, Peitz M, Rehbach K, Giorgetti A, Pyle A, Thiele H, Altmüller J, Timmann D, Karaca I, Lennarz M, Baets J, Hengel H, Synofzik M, Atasu B, Feely S, Kennerson M, Stendel C, Lindig T, Gonzalez MA, Stirnberg R, Sturm M, Roeske S, Jung J, Bauer P, Lohmann E, Herms S, Heilmann-Heimbach S, Nicholson G, Mahanjah M, Sharkia R, Carloni P, Brüstle O, Klopstock T, Mathews KD, Shy ME, de Jonghe P, Chinnery PF, Horvath R, Kohlhase J, Schmitt I, Wolf M, Greschus S, Amunts K, Maier W, Schöls L, Nürnberg P, Zuchner S, Klockgether T, Ramirez A, Schüle R. Hypomorphic mutations in POLR3A are a frequent cause of sporadic and recessive spastic ataxia.
Brain. 2017;140(6): 1561-78

Molinuevo JL, Rabin LA, Amariglio R, Buckley R, Dubois B, Ellis KA, Ewers M, Hampel H, Klöppel S, Rami L, Reisberg B, Saykin AJ, Sikkes S, Smart CM, Snitz BE, Sperling R, van der Flier WM, Wagner M, Jessen F; Subjective Cognitive Decline Initiative (SCD-I) Working Group. Implementation of subjective cognitive decline criteria in research studies.
Alzheimers Dement. 2017;13(3): 296-311

Müller H, de Millas W, Gaebel W, Herrlich J, Hasan A, Janssen B, Juckel G, Karow A, Kircher T, Kiszenow-Bäker S, Klingberg S, Klosterkötter J, Krüger-Özgürdal S, Lambert M, Lautenschlager M,

Maier W, Michel TM, Mehl S, Müller BW, Pützfeld V, Rausch F, Riedel M, Sartory G, Schneider F, **Wagner M**, Wiedemann G, Wittorf A, Wobrock T, Wölwer W, Zink M, Bechdolf A. Negative schemata about the self and others and paranoid ideation in at-risk states and those with persisting positive symptoms.

Early Interv Psychiatry. 2017 May 19. doi: 10.1111/eip.12433. [Epub ahead of print]

Müller S, Preische O, Göpfert JC, Yañez VAC, Joos TO, Boecker H, Düzel E, Falkai P, Priller J, Buerger K, Catak C, Janowitz D, Heneka MT, Brosseron F, Nestor P, Peters O, Menne F, Schipke CG, Schneider A, Spottke A, Fließbach K, Kilimann I, Teipel S, **Wagner M**, Wilfang J, Jessen F, Laske C. Tau plasma levels in subjective cognitive decline: Results from the DELCODE study. *Sci Rep*. 2017;7(1): 9529

Neidhardt G, Hauke J, Ramser J, Groß E, Gehrig A, Müller CR, Kahlert AK, Hackmann K, Honisch E, Niederacher D, Heilmann-Heimbach S, Franke A, Lieb W, Thiele H, Altmüller J, Nürnberg P, Klaschik K, Ernst C, Ditsch N, Jessen F, **Ramirez A**, Wappenschmidt B, Engel C, Rhiem K, Meindl A, Schmutzler RK, Hahnen E. Association Between Loss-of-Function Mutations Within the FANCM Gene and Early-Onset Familial Breast Cancer. *JAMA Oncol*. 2017;3(9): 1245-8

Noh HJ, Tang R, Flannick J, O'Dushlaine C, Swofford R, Howrigan D, Genereux DP, Johnson J, van Grootheest G, Grünblatt E, Andersson E, Djurfeldt DR, Patel PD, Koltookian M, M Hultman C, Pato MT, Pato CN, Rasmussen SA, Jenike MA, Hanna GL, Stewart SE, Knowles JA, Ruhrmann S, Grabe HJ, **Wagner M**, Rück C, Mathews CA, Walitza S, Cath DC, Feng G, Karlsson EK, Lindblad-Toh K. Integrating evolutionary and regulatory information with a multispecies approach implicates genes and pathways in obsessive-compulsive disorder. *Nat Commun*. 2017;8(1): 774

Pohontsch NJ, **Heser K**, Löffler A, Haenisch B, Parker D, Luck T, Riedel-Heller SG, **Maier W**, Jessen F, Scherer M. General practitioners' views on (long-term) prescription and use of problematic and potentially inappropriate medication for oldest-old patients-A qualitative interview study with GPs (CIM-TRIAD study).

BMC Fam Pract. 2017;18(1): 22

Polcher A, Frommann I, Koppa A, Wolfsgruber S, Wagner M. Face-Name Associative Recognition Deficits in Subjective Cognitive Decline and Mild Cognitive Impairment. *J Alzheimers Dis*. 2017;56(3): 1185-96

Rehker J, Rodhe J, Nesbitt RR, Boyle EA, Martin BK, Lord J, **Karaca I**, Naj A, **Jessen F**, Helisalmi S, Soininen H, Hiltunen M, **Ramirez A**, Scherer M, Farrer LA, Haines JL, Pericak-Vance MA, Raskind WH, Cruchaga C, Schellenberg GD, Joseph B, Brkanac Z. Caspase-8, association with Alzheimer's Disease and functional analysis of rare variants.

PLoS One. 2017;12(10): e0185777

Rentería ME, Schmaal L, Hibar DP, Couvy-Duchesne B, Strike LT, Mills NT, de Zubicaray GI, McMahon KL, Medland SE, Gillespie NA, Hatton SN, Lagopoulos J, Veltman DJ, van der Wee N, van Erp TGM, Wittfeld K, Grabe HJ, Block A, Hegenscheid K, Völzke H, Veer IM, Walter H, Schnell K, Schramm E, Normann C, **Schoepf D**, Konrad C, Zurowski B, Godlewska BR, Cowen PJ, Penninx BWJH, Jahanshad N, Thompson PM, Wright MJ, Martin NG, Christensen H, Hickie IB. Subcortical brain structure and suicidal behaviour in major depressive disorder: a meta-analysis from the ENIGMA-MDD working group. *Transl Psychiatry*. 2017;7(5): e1116

Rietschel L, Lambert M, Karow A, Zink M, Müller H, Heinz A, de Millas W, Janssen B, Gaebel W, Schneider F, Naber D, Juckel G, Krüger-Özgürdal S, Wobrock T, **Wagner M, Maier W**, Klosterkötter J, Bechdolf A; PREVENT study group. Clinical high risk for psychosis: gender differences in symptoms and social functioning.

Early Interv Psychiatry. 2017;11(4): 306-13

Roehr S, Luck T, Pabst A, Bickel H, König HH, Lühmann D, Fuchs A, **Wolfsgruber S**, Wiese B, Weyerer S, Mösch E, Brettschneider C, Mallon T, Pentzek M, **Wagner M**, Mamone S, Werle J,

Scherer M, **Maier W**, Jessen F, Riedel-Heller SG; AgeCoDe study group. Subjective cognitive decline is longitudinally associated with lower health-related quality of life.
Int Psychogeriatr. 2017;29(12): 1939-50

Scheltens NME, Tijms BM, Koene T, Barkhof F, Teunissen CE, **Wolfsgruber S, Wagner M**, Kornhuber J, Peters O, Cohn-Sheehy BI, Rabinovici GD, Miller BL, Kramer JH, Scheltens P, van der Flier WM; Alzheimer's Disease Neuroimaging Initiative; German Dementia Competence Network; University of California San Francisco Memory and Aging Center; Amsterdam Dementia Cohort. Cognitive subtypes of probable Alzheimer's disease robustly identified in four cohorts.
Alzheimers Dement. 2017;13(11): 1226-36

Schmaal L, Hibar DP, Sämann PG, Hall GB, Baune BT, Jahanshad N, Cheung JW, van Erp TGM, Bos D, Ikram MA, Vernooij MW, Niessen WJ, Tiemeier H, Hofman A, Wittfeld K, Grabe HJ, Janowitz D, Bülow R, Selonke M, Völzke H, Grotegerd D, Dannlowski U, Arolt V, Opel N, Heindel W, Kugel H, Hoehn D, Czisch M, Couvy-Duchesne B, Rentería ME, Strike LT, Wright MJ, Mills NT, de Zubizaray GI, McMahon KL, Medland SE, Martin NG, Gillespie NA, Goya-Maldonado R, Gruber O, Krämer B, Hatton SN, Lagopoulos J, Hickie IB, Frodl T, Carballido A, Frey EM, van Velzen LS, Penninx BWJH, van Tol MJ, van der Wee NJ, Davey CG, Harrison BJ, Mwangi B, Cao B, Soares JC, Veer IM, Walter H, **Schoepf D**, Zurowski B, Konrad C, Schramm E, Normann C, Schnell K, Sacchet MD, Gotlib IH, MacQueen GM, Godlewski BR, Nickson T, McIntosh AM, Papmeyer M, Whalley HC, Hall J, Sussmann JE, Li M, Walter M, Aftanas L, Brack I, Bokhan NA, Thompson PM, Veltman DJ. Cortical abnormalities in adults and adolescents with major depression based on brain scans from 20 cohorts worldwide in the ENIGMA Major Depressive Disorder Working Group.
Mol Psychiatry. 2017;22(6): 900-9

Schramm E, Kriston L, Zobel I, Bailer J, Wambach K, Backenstrass M, Klein JP, **Schoepf D**, Schnell K, Gumz A, Bausch P, Fangmeier T, Meister R, Berger M, Hautzinger M, Härtter M. Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression: A Randomized Clinical Trial.
JAMA Psychiatry. 2017;74(3): 233-42

Seifert K, Spottke A, **Fliessbach K**. Effects of sculpture based art therapy in dementia patients - A pilot study.
Helicon. 2017;3(11): e00460

Sims R, van der Lee SJ, Naj AC, Bellenguez C, Badarinayyan N, Jakobsdottir J, Kunkle BW, Boland A, Raybould R, Bis JC, Martin ER, Grenier-Boley B, Heilmann-Heimbach S, Chouraki V, Kuzma AB, Sleegers K, Vronskaya M, Ruiz A, Graham RR, Olaso R, Hoffmann P, Grove ML, Vardarajan BN, Hiltunen M, Nöthen MM, White CC, Hamilton-Nelson KL, Epelbaum J, **Maier W**, Choi SH, Beecham GW, Dulary C, Herms S, Smith AV, Funk CC, Derbois C, Forstner AJ, Ahmad S, Li H, Bacq D, Harold D, Satizabal CL, Valladares O, Squassina A, Thomas R, Brody JA, Qu L, Sánchez-Juan P, Morgan T, Wolters FJ, Zhao Y, Garcia FS, Denning N, Fornage M, Malamon J, Naranjo MCD, Majounie E, Mosley TH, Dombroski B, Wallon D, Lupton MK, Dupuis J, Whitehead P, Fratiglioni L, Medway C, Jian X, Mukherjee S, Keller L, Brown K, Lin H, Cantwell LB, Panza F, McGuinness B, Moreno-Grau S, Burgess JD, Solfrizzi V, Proitsi P, Adams HH, Allen M, Seripa D, Pastor P, Cupples LA, Price ND, Hannequin D, Frank-García A, Levy D, Chakrabarty P, Caffarra P, Giegling I, Beiser AS, Giedraitis V, Hampel H, Garcia ME, Wang X, Lannfelt L, Mecocci P, Eiriksdottir G, Crane PK, Pasquier F, Boccardi V, Henández I, Barber RC, Scherer M, Tarraga L, Adams PM, Leber M, Chen Y, Albert MS, Riedel-Heller S, Emilsson V, Beekly D, Braae A, Schmidt R, Blacker D, Masullo C, Schmidt H, Doody RS, Spalletta G, Jr WTL, Fairchild TJ, Bossù P, Lopez OL, Frosch MP, Sacchinelli E, Ghetti B, Yang Q, Huebinger RM, **Jessen F**, Li S, Kamboh MI, Morris J, Sotolongo-Grau O, Katz MJ, Corcoran C, Dunstan M, Braddell A, Thomas C, Meggy A, Marshall R, Gerrish A, Chapman J, Aguilar M, Taylor S, Hill M, Fairén MD, Hodges A, Vellas B, Soininen H, Kloszewska I, Daniilidou M, Uphill J, Patel Y, Hughes JT, Lord J, Turton J, Hartmann AM, Cecchetti R, Fenoglio C, Serpente M, Arcaro M, Caltagirone C, Orfei MD, Ciaramella A, Pichler S, Mayhaus M, Gu W, Lleó A, Fortea J, Blesa R, Barber IS, Brookes K, Cupidi C, Maletta RG, Carrell D, Sorbi S, Moebus S, Urbano M, Pilotto A, Kornhuber J, Bosco P, Todd S, Craig D, Johnston J, Gill M, Lawlor B, Lynch A, Fox NC, Hardy J; ARUK Consortium, Albin RL, Apostolova LG, Arnold SE, Asthana S, Atwood CS, Baldwin CT, Barnes LL, Barral S, Beach TG, Becker JT, Bigio EH, Bird TD, Boeve BF, Bowen JD, Boxer A, Burke JR, Burns JM, Buxbaum JD, Cairns NJ, Cao C, Carlson CS, Carlsson CM, Carney RM, Carrasquillo MM, Carroll SL, Diaz CC, Chui HC, Clark DG, Cribbs DH, Crocco EA, DeCarli C, Dick M, Duara R, Evans DA, Faber KM, Fallon KB, Fardo DW, Farlow MR, Ferris S, Foroud TM, Galasko DR, Gearing M,

Geschwind DH, Gilbert JR, Graff-Radford NR, Green RC, Growdon JH, Hamilton RL, Harrell LE, Honig LS, Huentelman MJ, Hulette CM, Hyman BT, Jarvik GP, Abner E, Jin LW, Jun G, Karydas A, Kaye JA, Kim R, Kowall NW, Kramer JH, LaFerla FM, Lah JJ, Leverenz JB, Levey AI, Li G, Lieberman AP, Lunetta KL, Lyketsos CG, Marson DC, Martiniuk F, Mash DC, Masliah E, McCormick WC, McCurry SM, McDavid AN, McKee AC, Mesulam M, Miller BL, Miller CA, Miller JW, Morris JC, Murrell JR, Myers AJ, O'Bryant S, Olichney JM, Pankratz VS, Parisi JE, Paulson HL, Perry W, Peskind E, Pierce A, Poon WW, Potter H, Quinn JF, Raj A, Raskind M, Reisberg B, Reitz C, Ringman JM, Roberson ED, Rogaeva E, Rosen HJ, Rosenberg RN, Sager MA, Saykin AJ, Schneider JA, Schneider LS, Seeley WW, Smith AG, Sonnen JA, Spina S, Stern RA, Swerdlow RH, Tanzi RE, Thornton-Wells TA, Trojanowski JQ, Troncoso JC, Van Deerlin VM, Van Eldik LJ, Vinters HV, Vonsattel JP, Weintraub S, Welsh-Bohmer KA, Wilhelmsen KC, Williamson J, Wingo TS, Woltjer RL, Wright CB, Yu CE, Yu L, Garzia F, Golamally F, Septier G, Engelborghs S, Vandenberghe R, De Deyn PP, Fernandez CM, Benito YA, Thonberg H, Forsell C, Lilius L, Kinshult-Ståhlbom A, Kilander L, Brundin R, Concari L, Helisalmi S, Koivisto AM, Haapasalo A, Dermecourt V, Fievet N, Hanon O, Dufouil C, Brice A, Ritchie K, Dubois B, Himali JJ, Keene CD, Tschanz J, Fitzpatrick AL, Kukull WA, Norton M, Aspelund T, Larson EB, Munger R, Rotter JI, Lipton RB, Bullido MJ, Hofman A, Montine TJ, Coto E, Boerwinkle E, Petersen RC, Alvarez V, Rivadeneira F, Reiman EM, Gallo M, O'Donnell CJ, Reisch JS, Bruni AC, Royall DR, Dichgans M, Sano M, Galimberti D, St George-Hyslop P, Scarpini E, Tsuang DW, Mancuso M, Bonuccelli U, Winslow AR, Daniele A, Wu CK; GERAD/PERADES, CHARGE, ADGC, EADI, Peters O, Nacmias B, Riemenschneider M, **Heun R**, Brayne C, Rubinstein DC, Bras J, Guerreiro R, Al-Chalabi A, Shaw CE, Collinge J, Mann D, Tsolaki M, Clarimon J, Sussams R, Lovestone S, O'Donovan MC, Owen MJ, Behrens TW, Mead S, Goate AM, Uitterlinden AG, Holmes C, Cruchaga C, Ingesson M, Bennett DA, Powell J, Golde TE, Graff C, De Jager PL, Morgan K, Ertekin-Taner N, Combarros O, Psaty BM, Passmore P, Younkin SG, Berr C, Gudnason V, Rujescu D, Dickson DW, Dartigues JF, DeStefano AL, Ortega-Cubero S, Hakonarson H, Campion D, Boada M, Kauwe JK, Farrer LA, Van Broeckhoven C, Ikram MA, Jones L, Haines JL, Tzourio C, Launer LJ, Escott-Price V, Mayeux R, Deleuze JF, Amin N, Holmans PA, Pericak-Vance MA, Amouyel P, van Duijn CM, **Ramirez A**, Wang LS, Lambert JC, Seshadri S, Williams J, Schellenberg GD. Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease.

Nat Genet. 2017;49(9): 1373-84

Stein J, Pabst A, Luck T, Lühmann D, **Heser K**, Jessen F, Bickel H, Mösch E, Pentzek M, Fuchs A, Wiese B, Mamone S, König HH, Brettschneider C, Werle J, Scherer M, **Maier W**, Weyerer S, Riedel-Heller SG; AgeCoDe and AgeQualiDe Study Group. Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study.

Dement Geriatr Cogn Disord. 2017;44(1-2): 71-83

Steinacker P, Semler E, Anderl-Straub S, Diehl-Schmid J, Schroeter ML, Uttner I, Foerstl H, Landwehrmeyer B, von Arnim CA, Kassubek J, Oeckl P, Huppertz HJ, Fassbender K, **Fliessbach K**, Prudlo J, Roßmeier C, Kornhuber J, Schneider A, Volk AE, Lauer M, Danek A, Ludolph AC, Otto M; FTLDc Study Group. Neurofilament as a blood marker for diagnosis and monitoring of primary progressive aphasias.

Neurology. 2017;88(10): 961-9

Steinacker P, Verde F, Fang L, Feneberg E, Oeckl P, Roeber S, Anderl-Straub S, Danek A, Diehl-Schmid J, Fassbender K, **Fliessbach K**, Foerstl H, Giese A, Jahn H, Kassubek J, Kornhuber J, Landwehrmeyer GB, Lauer M, Pinkhardt EH, Prudlo J, Rosenbohm A, Schneider A, Schroeter ML, Tumani H, von Arnim CAF, Weishaupt J, Weydt P, Ludolph AC, Yilmazer Hanke D, Otto M; FTLDc study group. Chitotriosidase (CHIT1) is increased in microglia and macrophages in spinal cord of amyotrophic lateral sclerosis and cerebrospinal fluid levels correlate with disease severity and progression.

J Neurol Neurosurg Psychiatry. 2017 Nov 15. pii: jnnp-2017-317138. doi: 10.1136/jnnp-2017-317138. [Epub ahead of print]

Then FS, Luck T, **Heser K**, Ernst A, Posselt T, Wiese B, Mamone S, Brettschneider C, König HH, Weyerer S, Werle J, Mösch E, Bickel H, Fuchs A, Pentzek M, **Maier W**, Scherer M, **Wagner M**, Riedel-Heller SG; AgeCoDe Study Group. Which types of mental work demands may be associated with reduced risk of dementia?

Alzheimers Dement. 2017;13(4): 431-40

van der Steen Y, **Gimpel-Drees J**, Lataster T, Viechtbauer W, Simons CJP, Lardinois M, Michel TM, Janssen B, Bechdolf A, **Wagner M**, Myin-Germeys I. Clinical high risk for psychosis: the association between momentary stress, affective and psychotic symptoms.
Acta Psychiatr Scand. 2017;136(1): 63-73

van der Zee J, Gijzelink I, Van Mossevelde S, Perrone F, Dillen L, Heeman B, Bäumer V, Engelborghs S, De Bleeker J, Baets J, Gelpi E, Rojas-García R, Clarimón J, Lleó A, Diehl-Schmid J, Alexopoulos P, Pernecky R, Synofzik M, Just J, Schöls L, Graff C, Thonberg H, Borroni B, Padovani A, Jordanova A, Sarafov S, Tournev I, de Mendonça A, Miltenberger-Miltényi G, Simões do Couto F, **Ramirez A, Jessen F**, Heneka MT, Gómez-Tortosa E, Danek A, Cras P, Vandenbergh R, De Jonghe P, De Deyn PP, Sleegers K, Cruts M, Van Broeckhoven C, Goeman J, Nuytten D, Smets K, Robberecht W, Damme PV, Bleeker J, Santens P, Dermaut B, Versijpt J, Michotte A, Ivanoiu A, Deryck O, Bergmans B, Delbeck J, Bruylants M, Willems C, Salmon E, Pastor P, Ortega-Cubero S, Benussi L, Ghidoni R, Binetti G, Hernández I, Boada M, Ruiz A, Sorbi S, Nacmias B, Bagnoli S, Sorbi S, Sanchez-Valle R, Llado A, Santana I, Rosário Almeida M, Frisoni GB, Maetzler W, Matej R, Fraidakis MJ, Kovacs GG, Fabrizi GM, Testi S. TBK1 Mutation Spectrum in an Extended European Patient Cohort with Frontotemporal Dementia and Amyotrophic Lateral Sclerosis.
Hum Mutat. 2017;38(3): 297-309

Voigt-Radloff S, de Werd MM, Leonhart R, Boelen DH, Olde Rikkert MG, **Fliessbach K**, Klöppel S, Heimbach B, Fellgiebel A, Dodel R, Eschweiler GW, Hausner L, Kessels RP, Hüll M. Structured relearning of activities of daily living in dementia: the randomized controlled REDALI-DEM trial on errorless learning.
Alzheimers Res Ther. 2017;9(1): 22

Wagner M, Wolfsgruber S, Gaertner B, Kleineidam L, Buttery AK, Jacobi F, Van der Elst W, Jolles J, Hapke U, Wittchen HU, Maier W, Busch MA. Cognitive functioning in the general population: Factor structure and association with mental disorders-The neuropsychological test battery of the mental health module of the German Health Interview and Examination Survey for Adults (DEGS1-MH).
Int J Methods Psychiatr Res. 2017 Nov 6. doi: 10.1002/mpr.1594. [Epub ahead of print]

Wessels H, **Wagner M**, Kuhr K, **Berning J**, Pützfeld V, Janssen B, Bottlender R, Maurer K, Möller HJ, Gaebel W, Häfner H, **Maier W**, Klosterkötter J, Bechdolf A. Predictors of treatment response to psychological interventions in people at clinical high risk of first-episode psychosis.
Early Interv Psychiatry. 2017 Jul 4. doi: 10.1111/eip.12460. [Epub ahead of print]

Wetter A, Grüneisen J, **Fliessbach K**, Lütje S, Schaarschmidt B, Umutlu L. Choline-based imaging of prostate cancer with combined [18F] fluorocholine PET and 1H MR spectroscopy by means of integrated PET/MRI.
Clin Imaging. 2017;42: 198-202

Wolfsgruber S, Polcher A, Koppara A, Kleineidam L, Frölich L, Peters O, Hüll M, Rüther E, Wiltfang J, Maier W, Kornhuber J, Lewczuk P, Jessen F, Wagner M. Cerebrospinal Fluid Biomarkers and Clinical Progression in Patients with Subjective Cognitive Decline and Mild Cognitive Impairment.
J Alzheimers Dis. 2017;58(3): 939-50

Zimmermann K, Yao S, Heinz M, Zhou F, Dau W, Banger M, Weber B, Hurlemann R, Becker B. Altered orbitofrontal activity and dorsal striatal connectivity during emotion processing in dependent marijuana users after 28 days of abstinence.
Psychopharmacology (Berl). 2017 Dec 2. doi: 10.1007/s00213-017-4803-6. [Epub ahead of print]

Bücher und Buchbeiträge

Seifert K (2017) Kunsttherapie. In: Fellgiebel A, Hautzinger M (Eds.) Altersdepression: Ein interdisziplinäres Handbuch. Springer, Berlin (167-175).